

TABELLA TOLLERANZE (PLANARITA')  
 TABLE OF TOLERANCES  
 TOLERANZTABELLEN

L mm	200	300	500	800	1000	1200	1500	2000	2500
DIN 876/III	48	52	60	72	80	88	100	120	140
DIN 876/II	24	26	30	36	40	44	50	60	70
DIN 876/I	12	13	15	18	20	22	25	30	35
DIN 876/0	4,8	5,2	6	7,2	8	8,8	10	12	14


L mm	3000	3500	4000	4500	5000	5500	6000	6500	7000
DIN 876/III	160	180	200	220	240	260	280	300	320
DIN 876/II	80	90	100	110	120	130	140	150	160
DIN 876/I	40	45	50	55	60	65	70	75	80
DIN 876/0	16	18	20	22	24	26	28	30	32

Tolleranze in micron - Deviations in  $\mu\text{m}$  - Abweichungen in  $\mu\text{m}$

FRESATRICI-PIALLATRICI PER LA LAVORAZIONE

- 1. 15000x3000
- 1. 12000x3000
- 1. 13000x3000
- 1. 10000x3700

SCANALATURA A T  
 T. SLOTS  
 T. NUTEN



Misura nominale Nominal size Nennmaß	viti-screws-Schrauben	b	c	H	e
10 mm	M 8	17,5 - 18 mm	8 mm	18 mm	1,0 mm
12 mm	M 10	20,5 - 21 mm	9 mm	21 mm	1,0 mm
14 mm	M 12	1/2"	23,5 - 24 mm	10 mm	1,0 mm
16 mm	M 14	26,5 - 27 mm	11 mm	27 mm	1,0 mm
18 mm	M 16	5/8"	29,5 - 30 mm	12 mm	1,5 mm
20 mm	M 18	33,5 - 34 mm	14 mm	34 mm	1,5 mm
22 mm	M 20	3/4"	37,5 - 38 mm	16 mm	1,5 mm
24 mm	M 22	7/8"	41,0 - 42 mm	18 mm	1,5 mm
28 mm	M 24	1"	47,0 - 48 mm	20 mm	1,5 mm
32 mm	M 27	1 1/8"	54 mm	22 mm	1,5 mm
36 mm	M 30	1 1/4"	60 mm	25 mm	2,0 mm
42 mm	M 36	1 1/2"	70 mm	29 mm	2,0 mm